

HS-105 - HIGH TEMP ACCELEROMETER, 30 MV/G, TOP CONNECTOR

HS105 - kovaan käyttöön korkean lämpötilan (250 celsius) kiihtyvyyssanturi, liitin päällä,

MSP_VIRTUEMA Hansford
RT_MANUFACTURER

MSP_VIRTUEMA HS-105
RT_SKU:

Tyyppi: 1-akselinen
 Teollisuus


Herkkyys: 100 mV/g

Taajuusalue: 0.8-15000 Hz

Mittausalue: ± 5000 g

Sovellukset: Condition Monitoring

Saatavana useilla eri konfiguraatioilla (sisältää aina erillisen varausvahvistimen):



MSP_VIRTUEMART_PRODDOCS

1. [Esite](http://www.mip.fi/images/docs/fi/hs105.pdf) , (URL: <http://www.mip.fi/images/docs/fi/hs105.pdf>)

MSP_VIRTUEMART_PRODUCT_IMAGE_TITLE



www.facebook.com/mipelectronics



[www.linkedin.com/company/mip-electronics-ltd-/](https://www.linkedin.com/company/mip-electronics-ltd/)



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ



www.facebook.com/mipelectronics



[www.linkedin.com/company/mip-electronics-ltd-/](https://www.linkedin.com/company/mip-electronics-ltd/)



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ