

DR100999 - 5 MM FFV, PRO RPM PROXIMITY PROBE DRIVER WITH SCALED 4-20 OUTPUT OF RPM

DR100999 - 5mm FFv PRO-sarjan RPM pyörrevirta-anturi ohjain skaalattuna 4-20 RPM ulostulolle

MSP_VIRTUEMA CTC
RT_MANUFACTURER

MSP_VIRTUEMA DR100999
RT_SKU:

Sovellukset: Liukulaakerin
kunnonvalvonta

Halkaisija: 5 mm

Herkkyys: -7.87 V/mm

Saatavana erilaisilla kokoonpanoilla, kaikki asiakastilauksen pohjalta

DR100999- - - -

System Length	Mounting Type	# of Keyways	Full Scale RPM	Regulatory Approval
5 = 5.0 meter 7 = 7.0 meter	0 = Panel (Mounting Screws Are Not Included) 1 = DIN 2 = None	01 = 1 Keyway 99 = 99 Keyways	Min of 000005 RPM Max of 065000 RPM	00 = CE Certified

MSP_VIRTUEMART_TECHDETAILS



www.facebook.com/mipelectronics



[www.linkedin.com/company/mip-electronics-ltd-/](https://www.linkedin.com/company/mip-electronics-ltd/)



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ

- Temperature Range: -31 to 185°F (-35 to 85°C)
- Linear Range: 10-70 mils (0.25 - 1.78 mm)
- Nominal Voltage Output: -200 mV/mil (-7.87 V/mm)
- Input Voltage: -17.5 VDC to -30 VDC
- Aluminum enclosure
- Miniature 12-32 threaded connector
- 4 Position screw terminals & BNC

MSP_VIRTUEMART_PRODDOCS

1. [Esite](http://www.mip.fi/images/docs/fi/dr100999_.pdf) , (URL: http://www.mip.fi/images/docs/fi/dr100999_.pdf)

MSP_VIRTUEMART_PRODUCT_IMAGE_TITLE



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd-/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ