

DX330930 - 5 MM BENTLY™ COMPATIBLE FFV PROXIMITY PROBE EXTENSION CABLE

DX330930 - 5 mm Bently™-yhteensopiva FFv pyörrevirta-anturin jatkokaapeli

MSP_VIRTUEMA CTC
RT_MANUFACTURER

MSP_VIRTUEMA DX330930
RT_SKU:

Saatavana kahtena versiona eri pituisina



Standard Cable



Armored Cable

MSP_VIRTUEMART_TECHDETAILS

- Temperature Range: -31 to 350°F (-35 to 177°C)
- Material: FEP (Fluoroethylene Propylene) Jacket

MSP_VIRTUEMART_PRODDOCS

1. [Esite](http://www.mip.fi/images/docs/fi/dx330930.pdf), (URL: <http://www.mip.fi/images/docs/fi/dx330930.pdf>)



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ

MSP_VIRTUEMART_PRODUCT_IMAGE_TITLE



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd-/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ