

DX990 - 5 MM BENTLY™ COMPATIBLE FFV PROXIMITY PROBE DRIVER FOR EDDY CURRENT PROBE, 4-20 MA RADIAL APPLICATIONS

DX990 - 5 mm Bently™-yhteensopiva kompakti FFv pyörrevirta-anturi ohjain, 4-20mA ulostulo, Radial Applications

MSP_VIRTUEMA CTC
RT_MANUFACTURER

MSP_VIRTUEMA DX990
RT_SKU:

Sovellukset: Liukulaakerin
kunnonvalvonta

Halkaisija: 5 mm

Tyyppi: 4-20 mA
radial

Saatavana erilaisilla kokoonpanoilla, kaikki asiakastilauksen pohjalta



www.facebook.com/mipelectronics



[www.linkedin.com/company/mip-electronics-ltd-/](https://www.linkedin.com/company/mip-electronics-ltd/)



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ

Ordering Information

DX990 - - - -

Full Scale	System Length	Mounting Type	Regulatory Approval
04 = 0-4 mils pp 05 = 0-5 mils pp	50 = 5.0 meter 70 = 7.0 meter	00 = Panel (Mounting Screws Are Not Included) 01 = DIN 02 = None	00 = CE Certified



Example Part Number: DX990-05-70-01-00

4140 Steel, 0-5 mils pp full scale, 7 meter system length, DIN mount, CE certified

MSP_VIRTUEMART_TechDETAILS

- Temperature Range: -31 to 185°F (-35 to 85°C)
- Material: Anodized Aluminum

MSP_VIRTUEMART_ProDDocs

1. [Esite](http://www.mip.fi/images/docs/fi/6_pro_dx990_ds.pdf), (URL: http://www.mip.fi/images/docs/fi/6_pro_dx990_ds.pdf)

MSP_VIRTUEMART_Product_Image_Title



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd-/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd-/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ