

KIIHTYVYYSANTURI KS943L, 14 MV/G

Kolmen kohtisuoran akselin yhtäaikaiseen mittaamiseen.

MSP_VIRTUEMA RT_MANUFACTURER MMF

MSP_VIRTUEMA RT_SKU: KS943L

Herkkyys: 14 mV/g

Tyyppi: 3-akselinen

Taajuusalue: 0.3 - 19000 Hz

Mittausalue: ± 240 g

1700,00 €

Sales price without tax

2133,50 € Sales price

Kiihtyvyysanturi on tarkoitettu kolmen kohtisuoran akselin yhtäaikaiseen mittaamiseen. Anturi on kiinnitettävissä mitattavaan kohteeseen keskitetyllä ruuvikiinnityksellä, joka mahdollistaa helpon mittausakselin kohdistamisen. Matalan tehonkulutuksen takia, anturi soveltuu erityisesti telemetria- ja muihin paristokäyttöisiin laitteisiin.

Ominaisuuksia:

- IEPE-tyyppinen, matala tehonkulutus
- Herkkyys: 14 mV/g
- Mittausalue ± 240 g
- Lineaarinen taajuusalue: (+/-3dB) 0.3-19000 Hz
- Paino: 16 gr, ilman kaapelia
- Liitin: Binder 707, radiaali
- Halkaisija: 22.5 mm
- Korkeus: 11.2 mm

MSP_VIRTUEMART_PRODDOCS

1. [Esite](http://www.mip.fi/images/docs/fi/KS943B.pdf), (URL: <http://www.mip.fi/images/docs/fi/KS943B.pdf>)

MSP_VIRTUEMART_PRODUCT_IMAGE_TITLE



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ



www.facebook.com/mipelectronics



[www.linkedin.com/company/mip-electronics-ltd-/](https://www.linkedin.com/company/mip-electronics-ltd/)



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ