

M+P VIBRUNNER

Monikanavainen melu- ja värinä mittauss.

MSP_VIRTUEMA m+p international (UK) Ltd
RT_MANUFACT
URER

MSP_VIRTUEMA VibRunner
RT_SKU:

Työpöydälle tai 19" telineasennukseen
8-24 tulokanavaa
Useiden m + p VibRunner etukoneiden synkronointi
204,8 kHz maksimi näytteenottotaajuus
24-bittinen mittaustarkkuus
1 Gbit Ethernet-liitäntä
IEPE, TEDS
Siltamittaussanturien käsittely
2-12 lähtö kanavaa (oikosulkusuojaus)
2-12 takoporttia
8 digitaalista tuloa / lähtöä

MSP_VIRTUEMART_PRODDOCS

1. [Esite](http://www.mip.fi/images/docs/fi/mp_productguide_vibrunner.pdf), (URL: http://www.mip.fi/images/docs/fi/mp_productguide_vibrunner.pdf)

MSP_VIRTUEMART_PRODUCT_IMAGE_TITLE



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ



www.facebook.com/mipelectronics



[www.linkedin.com/company/mip-electronics-ltd-/](https://www.linkedin.com/company/mip-electronics-ltd/)



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ