

MX2034 4-20 MA TRANSMITTER

Transmitter MX2034

MSP_VIRTUEMA RT_MANUFACT URER	Metrix
MSP_VIRTUEMA RT_SKU:	MX2034
Sovellukset:	Liukulaakerin kunnonvalvonta
Tyyppi:	4-20 mA

CSA, ATEX and IECEx Certified MX2034 4-20 mA Transmitter with Dynamic Signal Output

Metrix* MX2034 is configurable for radial vibration, axial position or speed measurements. It combines the performance of a fully API 670-compliant eddy-current proximity measurement system with the flexibility of digital configurability. For the first time, users can configure their transmitter system in the field using a custom field-generated curve as well as factory pre-configured calibrations for over 20 target materials, a variety of probe tip diameters, manufacturers, extension cable lengths, and linear ranges.

MSP_VIRTUEMART_PRODDOCS

1. [Esite](http://www.mip.fi/images/docs/fi/mx2034.pdf), (URL: <http://www.mip.fi/images/docs/fi/mx2034.pdf>)

MSP_VIRTUEMART_PRODUCT_IMAGE_TITLE



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd-/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd-/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd-/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ