

ÄÄNITASOKALIBRAATTORI RION NC-75

Paristokäyttöinen 1. luokan kalibraattori 1", 1/2" ja 1/4" mikrofoneille.

MSP_VIRTUEMA RT_MANUFACT URER	Rion
MSP_VIRTUEMA RT_SKU:	NC-75
Tyyppi:	Tarkkuusluokka 1
Taajuusalue:	1 kHz
Äänenpaine:	94 dB

Ensimmäisen luokan kalibraattori joka sopii erityisesti Rionin äänitasomittareille. Täyttää IEC 60942: 2003 luokan 1 standardin vaatimukset.

Ominaisuuksia:

- Luokan 1 akustinen kalibraattori
- Pienikokoinen ja luotettava
- Sopii 1/2" ja 1" mikrofoneille, 1/4" adapteri saatavissa.
- Taajuus 1 kHz $\pm$ 0.1%.
- Äänenpainetaso 94 dB $\pm$ 0.25%.
- Vähintään 50:n tunnin käyttöaika 2x AA-paristolla.

MSP_VIRTUEMART_DELIVERYCONTENTS

- NC75 kalibraattori 1" mikrofonille
- adapteri 1/2" mikrofonille
- Pehmustettu suojakotelo
- Paristot
- JCSS-kalibrointitodistus

MSP_VIRTUEMART_PRODDOCS

1. [Rion NC-75 Esite](http://www.mip.fi/images/docs/fi/nc-75.pdf) , (URL: <http://www.mip.fi/images/docs/fi/nc-75.pdf>)



www.facebook.com/mipelectronics



[www.linkedin.com/company/mip-electronics-ltd-/](https://www.linkedin.com/company/mip-electronics-ltd/)



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ

MSP_VIRTUEMART_PRODUCT_IMAGE_TITLE



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd-/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd/



www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ