

MMF

KSI84-NOPEUS&KIIHTYVYYSLÄHETTIMET

UUTUUS - KSI84 on saatavissa 4-20 mA-viestiä lähettävänä nopeus- tai kiihtyvyyssanturina. Mittausalue sekä low/high-pass filtit konfiguroidaan tehdaskalibroinnin yhteydessä asiakastilauksen perusteella.

Valmistaja:	MMF
Tuotenumero:	KSI84

Properties

- * Suited for direct connection to standard control and measurement equipment, e.g. PLCs or panel meters
- * Particularly suited for applications at higher frequencies, e.g. bearing or gearbox monitoring and for shock vibration*
- * More than 200 types with with RMS and peak output and different measurement and frequency ranges
- * Loop powered, Ground insulated
- * Compact and rugged design, M12 socket for easy cable connection
- Protected against false polarization and overvoltage
- Double shielded case for best EMC properties, Protection grade IP68

Dokumentit

1. [Esite](http://www.mip.fi/images/docs/fi/ksi84datasheet.pdf), (URL: <http://www.mip.fi/images/docs/fi/ksi84datasheet.pdf>)
2. [Manual](http://www.mip.fi/images/docs/fi/ksi84manual.pdf), (URL: <http://www.mip.fi/images/docs/fi/ksi84manual.pdf>)

Lisäkuvat ja videot





