GRAS 43AB

1/2" 2cc Coupler Kit According to IEC 60318-5



V.

Connection: 200 V/LEMO Volume: 2 cc Dyn range: 25 dB(A) to 164 dB ANSI: S3.7 Type 2 IEC: 60318-5 The GRAS 43AB Artificial Ear is a complete test-jig for acoustical measurements on hearing aids.

GRAS Sound & Vibration A/S Skovlytoften 33, 2840 Holte, Denmark **www.gras.dk**



Technology

The GRAS 43AB Artificial Ear is a complete test jig for acoustical measurements of hearing aids in accordance with IEC 60318-5 (60126) and ANSI S3.7 -1995 on insert type hearing aids in accordance with:

- IEC 60318-5 (60126) reference coupler for the measurement of hearing aids using earphones coupled to the ear by means of ear inserts.
- ANSI S3.7-1995 American National Standard for Coupler Calibration of Earphones.

The 43AB comprises:

- IEC 60318-5 (60126) 2-cm³ Coupler GRAS RA0038
- GRAS 40AG ½" Pressure Microphone
- GRAS 26AC ¼" Preamplifier
- GRAS RA0052 Test Jig
- Studs and moulds for BTE and ITE instruments

The Test Jig has an adjustable spring-loaded arm to exert a variable force on the test object.

Specifications

Theoretical dynamic range lower limit with GRAS preamplifier	dB(A)	25
Theoretical dynamic range upper limit with GRAS preamplifier @ +120 V / ±60 V power supply	dB	164
Set sensitivity @ 250 Hz (±2 dB)	mV/Pa	12
Set sensitivity @ 250 Hz (±2 dB)	dB re 1V/Pa	-38.5
Temperature range, operation	°C / °F	- 30 to 60 / -22 to 140
Temperature coefficient @250 Hz	dB/°C / dB/°F	-0.01/-0.006
Humidity range non condensing	% RH	0 to 80
ANSI standard		S3.7 Type 2 (HA-1, HA-2)
IEC standard		60318-5 (former 60126)
ITU-T recommondations		P.380
CE/RoHS compliant/WEEE registered		Yes/Yes/Yes
Connector type		3 m 7-pin LEMO
Weight	g / oz	1.55 / 54.675
Specification Conditions		GRAS Sound & Vibration reserves the right to change specifications and accessories without notice.



.

Ordering Info

Included

GRAS RA0038	IEC 126 2 cc Coupler
	Tube adapters
GRAS 40AG	½" Pressure Microphone, Wide Frequency
GRAS 26AC	¼" Preamplifier
GRAS RA0052	Test Jig

Optional

GRAS 12AK	Power Module
GRAS 42AA	Pistonphone

Miscellaneous

GRAS RA0196 High-tension springs (set of two)

GRAS Sound & Vibration reserves the right to change specifications and accessories without notice.



We Make Microphones

Tradition


Since the establishment in 1994, GRAS has been 100% dedicated to developing and manufacturing high-quality measurement microphones and related acoustic equipment.

Innovation

We work with everybody with an interest in sound or noise within the fields of aerospace, automotive, audiology, consumer electronics, noise monitoring, building acoustics and telecommunications.

Quality

At GRAS we know that in order for you to trust your measurement results; signal quality, stability and robustness are essentials. We design and build them to perform under real life conditions – and beyond.



GRAS Sound & Vibration A/S Skovlytoften 33, 2840 Holte, Denmark www.gras.dk

