GRAS 44AB

Mouth Simulator according to ITU-T Rec. P51



ITU-T rec.: P.51 IEEE standards: 269, 661 GRAS 44AB Mouth Simulator is a sound source which simulates the sound field around the human mouth at close quarters and complies with the Standards IEEE 269, 661 and ITU-T Rec. P51.

GRAS 44AB is for testing telephone mouthpieces as well as other microphones similarly used in communication networks.





At the mouth reference point (MRP), which is 25mm from the detachable lip ring (35mm from the mouth of the Type 44AB), the maximum continuous signal it can produce

in $^1\!/_3$ -octave bands is 100dB re. 20µPa in the frequency range 100Hz to 16kHz. Its loudspeaker accepts an external signal directly via a BNC input.

Jigs are included for calibration according to CCITT P.51 and IEEE 269. These are for use with $\frac{1}{4}$ " or $\frac{1}{2}$ " microphones. One jig holds the microphone at 0° incidence ($\frac{1}{4}$ " only) to the sound source, the other at 90° incidence ($\frac{1}{4}$ " or $\frac{1}{2}$ ").



Specifications

Connector type		BNC
ITU-T recommondations		P.51
IEEE standard		269, 661
Maximum power, continuous	W	10
Maximum power, pulsed 2 sec.	W	50
Temperature range, operation	°C / °F	10 to 35 / 50 to 95
CE/RoHS compliant/WEEE registered		Yes/Yes/Yes
Weight	g / oz	1000 / 35.274

Maximum continuous output level at MRP [200 Hz - 6 kHz] 110 dB re. 20 Pa

Maximum continuous output level at MRP [100 Hz - 16 kHz] 100 dB re. 20 Pa

	Plot of 44AA and 44AB				
120					
100	,				
@ MRP] 80					
Magnitude [dB re 20 uPa @ MRP] 00 00 00	,				
tude [dB 1					
iugen Magn					
20					
0					
100 1000 1000 Frequency [Hz]					

Distortion 250 Hz - 8 kHz (Linear signal @ 94 dB at MRP) typically 1 %, max. 1.5 %

Frequency response

GRAS Sound & Vibration reserves the right to change specifications and accessories without notice.





Included

GRAS RA0104	Jig (CCITT P51)
GRAS RA0105	Jig (IEEE 269)
GRAS AB0012	Power supply

Optional

GRAS RA0110	Conical mouthpiece

GRAS Sound & Vibration reserves the right to change specifications and accessories without notice.



We Make Microphones

Tradition


Since the establishment in 1994, GRAS has been 100% dedicated to developing and manufacturing high-quality measurement microphones and related acoustic equipment.

Innovation

We work with everybody with an interest in sound or noise within the fields of aerospace, automotive, audiology, consumer electronics, noise monitoring, building acoustics and telecommunications.

Quality

At GRAS we know that in order for you to trust your measurement results; signal quality, stability and robustness are essentials. We design and build them to perform under real life conditions – and beyond.



GRAS Sound & Vibration A/S Skovlytoften 33, 2840 Holte, Denmark www.gras.dk

