

v

Microphone power: CCP Channel(s): 1 TEDS via USB 12BA is a 1-channel CCP power module. It has TEDS support and is powered by USB.

GRAS Sound & Vibration Skovlytoften 33, 2840 Holte, Denmark www.grasacoustics.com



Technology

The GRAS 12BA is a single-channel USB-powered CCP power module with TEDS support.

It provides power to one microphone set without signal degradation, gain modification, or attenuation.

It is intended as a simple and cost-effective interface between TEDS-enabled measurement microphones and any <u>Audio Precision APx series</u> <u>analyzer</u>, which will automatically extract TEDS data for seamless integration.

However, it can also be used with other brands. In this case, a utility program provides access to TEDS data on a PC. This program can be downloaded <u>here</u>.

Power for the 12BA is provided through a USB cable using a USB 2.0 or USB 3.0 port and a USB-C port on the power module.

If more than one microphone must be used, a fourchannel version is available, the 12BB.

Alternatively, multiple power modules can be used concurrently.

GRAS & Sound & Vibration



GRAS Sound & Vibration

Туре	Constant Current Power (CCP)
	(00))

USB Interface

Interface	Type A Peripheral Inter- face
Version	USB C/USB 2.0
Power	USB +5 V, 500 mA max

Microphone Channel

Channel(s)		1 x BNC
Max input voltage (limited by 24 V microphone power)	V_{peak}	24
Power	mA	4
Coupling		AC, 10 Hz high-pass filter

General

Bandwidth	Hz	10 to 20 (±0.06 dB) 20 to 200 k (±0.03 dB)
Noise, input shorted, 10 Hz to 20 kHz	μV RMS	< 2.0
Temperature range, operation	°C/F	0 to +45 / 32 to 113
Temperature range, storage	°C/F	-40 to +75 / -40 to 167
Humidity	Up to 40 °C /104 F	90%, non-condensing
EMC		EN 61326-1: 2013 Class B
Safety		UL/EN/IEC 62368-1, Second Edition
Dimensions, width x height x depth	mm inches	108 x 44.2 x 193.8 4.25 x 1.74 x 7.63
Weight	g/oz	397/14

Ordering Info

Included

GRAS 12BA	CCP Power Module with USB Connection
-	USB Cable

Optional

GRAS AA0033	BNC-BNC cable, 1 meter
GRAS AA0034	BNC-BNC cable, 2 meters
GRAS AA0035	BNC-BNC cable, 3 meters



GRAS Worldwide

Subsidiaries and distributors in more than 40 countries

HEAD OFFICE, DENMARK

GRAS SOUND & VIBRATION Skovlytoften 33 2840 Holte Denmark Tel: +45 4566 4046 www.grasacoustics.com gras@grasacoustics.com

ISA

GRAS SOUND & VIBRATION 5750 S.W. Arctic Drive Beaverton, OR 97005 Tel: 503-627-0832 Toll Free: 800-231-7350 www.grasacoustics.com sales-usa@grasacoustics.com

CHINA

GRAS SOUND & VIBRATION Room 303, Building T6 Hongqiaohui, 990, Shenchang Road Minhang District, Shanghai China. 201106 Tel: +86 21 64203370 www.gras.com.cn cnsales@grasacoustics.com

ABOUT GRAS SOUND & VIBRATION

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones to industries where acoustic measuring accuracy and repeatability is of utmost importance in R&D, QA and production. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, and consumer electronics. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect and trust.

